



Smart High Speed Hand Dryer – Silver

Description

- HEPA filter with antibacterial cover material
- Adjustable air speeds (63-91m/s)
- Low power consumption (700–1000W)
- Short drying time (10-15 seconds)
- Patented low noise inlet (70-76dBA)
- Plug-in back plate
- 2 year warranty



Cleaner air

The sleek design conceals a built-in HEPA filter that removes over 99.9% of dirt dust and pollen from the air passing through.

More hygienic

The innovative antimicrobial cover, infused with silver ions, eliminates bacteria and fingerprints for a healthier, more hygienic washroom space. (>99.9% proven anti-bacterial efficacy against Staphylococcus aureus and Escherichia coli).

A quieter environment


The patented noise-cancelling air inlet design minimizes sound generation, delivering noise levels as low as 70 dBA at 1m.

Adjustable power


The dryer's power output can be adjusted easily with a screwdriver without dismantling the dryer from wall.

Stay informed


The intuitive, colour coded, smart LED indicator keeps you updated on operation and maintenance status to allow continued optimisation of performance.




Ready



In use



Replace
HEPA filter




Replace Motor
Brushes

Accreditations**Effortless installation and removal**

The plug-in wall mounted back plate allows the dryer body to be quickly and easily detached and reattached without need for an electrician.

Dimensions (mm)



Technical Specification

Description	Spec
Operating Voltage	220-240VAC / 50-60Hz
Rated Power	700-1000W (adjustable)

Description**Spec**

Drying Time	10-15 seconds
Air speed	63-91 m/s
Noise level	70-76dBA at 1m
Cover material	ABS with silver ions
Dimensions	D130mm x W184mm x H296mm
Net Weight	3.8 kg
Warranty	2 years
Rated Current	4.0A
Motor Speed	29,000RPM
Sensing Distance	15-19cm
Standby Power Consumption	? 0.4W

Safety Features**Description****Spec**

IP rating	IP24
Electrical Insulation Class	I
Heater Protection	Turns off at 95°C or more
Motor Protection	Auto stop at 60 seconds